stamp
05/27 17:18
05/27 17:18
05/27 17:18
05/27 17:19
05/27 17:58
05/27 18:02
): _

L Number	Hits	Search Text	DB	Time stamp
1	2	zeroizable	USPAT;	2004/05/27 16:02
			US-PGPUB;	
			EPO; JPO;	
			DERWENT:	
			IBM TDB	
2	449	zeroiz\$3	USPAT;	2004/05/27 16:02
	743	26101240	US-PGPUB;	2004/03/27 10.02
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	364	zeroiz\$3 and @ad<20000927	USPAT;	2004/05/27 16:45
		·	US-PGPUB;	
ļ			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
4	0	(zeroiz\$3 and @ad<20000927) and ((secure adj memory)	USPAT;	2004/05/27 17:00
·	•	and (laser adj scrib\$3))	US-PGPUB;	200 1100/21 11:00
		and hassi day somboy	EPO; JPO;	
			DERWENT;	
_	_	(IBM_TDB	0004/05/07 40 55
5	0	(zeroiz\$3 and @ad<20000927) and ((secure adj memory)	USPAT;	2004/05/27 16:29
		and (logic near circuit\$3))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
I			IBM_TDB	
7	0	((zeroiz\$3 and @ad<20000927) and (secure adj memory))	USPAT;	2004/05/27 16:31
1		and (block\$3 adj gat\$3)	US-PGPUB;	
		(21031140 22)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	0	(/zerojz@2 and @ad<20000027) and (assure adj memory))		2004/05/27 46:24
8	U	((zeroiz\$3 and @ad<20000927) and (secure adj memory))	USPAT;	2004/05/27 16:31
		and (block\$3 near gat\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
9	0	((zeroiz\$3 and @ad<20000927) and (secure adj memory))	USPAT;	2004/05/27 16:31
į		and (block\$3 near gate)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	17	(zeroiz\$3 and @ad<20000927) and (secure adj memory)	USPAT;	2004/05/27 16:44
-	• •		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1				
40	40400	742/0 0010	IBM_TDB	2004/05/27 40:45
10	19498	713/\$.ccls.	USPAT;	2004/05/27 16:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
11	11732	713/\$.ccls. and @ad<20000927	USPAT;	2004/05/27 16:45
			US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
10	1616	(713/5 pole and @ad<20000027) and (logic near1 aircuite2)	USPAT;	2004/05/27 16:46
12	1616	(713/\$.ccls. and @ad<20000927) and (logic near1 circuit\$3)		2004/03/27 10.40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

13	39	((713/\$.ccls. and @ad<20000927) and (logic near1 circuit\$3)) and (secur\$3 near1 memory)	USPAT; US-PGPUB;	2004/05/27 17:09
			EPO; JPO; DERWENT; IBM_TDB	
14	24	(((713/\$.ccls. and @ad<20000927) and (logic near1 circuit\$3)) and (secur\$3 near1 memory)) and (process\$3 with bus)	USPAT; US-PGPUB; EPO; JPO;	2004/05/27 16:48
15	2		DERWENT; IBM_TDB USPAT;	2004/05/27 17:08
	2	((((713/\$.ccls. and @ad<20000927) and (logic near1 circuit\$3)) and (secur\$3 near1 memory)) and (process\$3 with bus)) and ((block\$3 or disabl\$3 or enabl\$3) near gate)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/27 17:06
16	150	((713/\$.ccls. and @ad<20000927) and (logic near1 circuit\$3)) and ((block\$3 or disabl\$3 or enabl\$3) near gate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 16:58
17	0	(((713/\$.ccls. and @ad<20000927) and (logic near1 circuit\$3)) and ((block\$3 or disabl\$3 or enabl\$3) near gate)) and ((secure adj memory) and (laser adj scrib\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 17:00
18	0	(((713/\$.ccls. and @ad<20000927) and (logic near1 circuit\$3)) and ((block\$3 or disabl\$3 or enabl\$3) near gate)) and (laser adj scrib\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/27 17:00
19	0	((713/\$.ccls. and @ad<20000927) and (logic near1 circuit\$3)) and (laser adj scrib\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/27 17:02
20	43	((713/\$.ccls. and @ad<20000927) and (logic near1 circuit\$3)) and (laser adj print\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/27 17:03
21	0	((713/\$.ccls. and @ad<20000927) and (logic near1 circuit\$3)) and (laser near1 key)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 17:03
22	1	((713/\$.ccls. and @ad<20000927) and (logic near1 circuit\$3)) and (laser with key)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/27 17:09
23	281	(713/\$.ccls. and @ad<20000927) and ((block\$3 or disabl\$3 or enabl\$3) near1 gate)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/27 17:08
24	0	((713/\$.ccls. and @ad<20000927) and ((block\$3 or disabl\$3 or enabl\$3) near1 gate)) and (laser with key)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/27 17:09
25	10	((713/\$.ccls. and @ad<20000927) and ((block\$3 or disabl\$3 or enabl\$3) near1 gate)) and (secur\$3 near1 memory)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/27 17:09